

MARCH 2010
PRICES EFFECTIVE
APRIL 2008

S T I L L E X



click

price list

click

PRODUCT INFORMATION

APPLICATIONS:

GENERAL ENVIRONMENT
VARIABLE TASK
TASK INTENSIVE

MEDIUM SEAT
LOW BACK

MEDIUM SEAT
MEDIUM BACK

LARGE SEAT
MEDIUM BACK

LARGE SEAT
HIGH BACK

FOUR LEG

GENERAL INFORMATION

DIMENSIONS / OVERVIEW

SIZE 5

SIZE 6

SIZE 7

SIZE 8

GUEST


GENERAL DIMENSIONS

- A. SEAT HEIGHT
- B. SEAT DEPTH
- C. BACK HEIGHT†
- D. SEAT WIDTH & OVERALL WIDTH (ARMLESS)
- E. MAXIMUM OVERALL HEIGHT*


* MEASUREMENTS GIVEN ARE ACCURATE FOR MOST CONTROLS. SPECIFIC MODELS MAY VARY SLIGHTLY.

† MEASUREMENTS GIVEN ARE WITH CONTROLS OFFERING INTERNAL BACK HEIGHT ADJUSTMENT.


- A. 16"-21.5"
- B. 16.5"
- C. 17"
- D. 19"
- E. 32"-37"




- A. 16"-21.5"
- B. 16.5"
- C. 19"
- D. 19"
- E. 34"-39"




- A. 16"-21.5"
- B. 18.5"
- C. 19"
- D. 21"
- E. 34"-39"



- A. 16"-21.5"
- B. 18.5"
- C. 21"
- D. 21"
- E. 36"-41"



- A. 17.5"
- B. 17.5"
- C. 17"
- D. 23.5" (WITH ARMS/FRAME)
- E. 33"



CONSTRUCTION

SEATS AND BACKS INCORPORATE COMPOUND-CURVED PLYWOOD COVERED WITH CUSHIONS OF HIGH-DENSITY, CFC-FREE POLYURETHANE FOAM. FRAMES ARE METAL TUBE.

ARM PADS

ALL ARM PADS ARE MADE FROM SOFT SELF-SKINNED URETHANE.


ADJUSTABLE LUMBAR OPTION

THE MECHANICAL, ADJUSTABLE LUMBAR IS FINE-TUNED BY ROTATING A HANDWHEEL LOCATED ON THE RIGHT SIDE OF THE BACK.


T-SHAPE ADJUSTABLE ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 24"-28"
- B. 18"-22"
- C. 6.5"-9.5"




- A. 24"-28"
- B. 18"-22"
- C. 6.5"-9.5"



- A. 25.5"-29.5"
- B. 19.5"-23.5"
- C. 6.5"-9.5"



- A. 25.5"-29.5"
- B. 19.5"-23.5"
- C. 6.5"-9.5"



BASES

THE STANDARD BASE IS FIVE-PRONG, GLASS-FILLED NYLON. OPTIONAL BASES ARE AVAILABLE IN EITHER POLISHED OR BLACK POWDER-COATED ALUMINUM.

CASTERS

OPTIONAL RUBBER-TIRED CASTERS MUST BE USED ON HARD FLOORS SUCH AS WOOD, LINOLEUM OR CONCRETE. PLEASE BE SURE TO SPECIFY RUBBER-TIRED CASTERS FOR THESE APPLICATIONS.

SEAT-DEPTH OPTION

MOST TASK CONTROLS ARE AVAILABLE WITH OPTIONAL SEAT SLIDES THAT EXTEND THE SEAT DEPTH UP TO 2.5".

DRAFTING STOOL OPTION

INTERMEDIATE AND FULL DRAFTING HEIGHT CHAIRS ARE AVAILABLE ON A NUMBER OF MECHANISMS AND INCLUDE AN ADJUSTABLE HEIGHT FOOT RING.

TESTING

MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS.





ENVIRONMENT

GREENGUARD CERTIFIED.


DESCRIPTION

C.O.M.

FABRIC
UPHOLSTERY
GRADES
C.O.M.

SERIES	SIZE	CONTROL	ARMS	YDG.	A	B	C	D	E	F	G	H	I	J		
	SIZE 5 - MEDIUM SEAT, LOW BACK															
	CK	5	10	00	CENTER PIVOT TILT, ARMLESS	1.5	364	412	459	505	553	603	652	712	771	837
	CK	5	63	00	BASIC TASK, ARMLESS	1.5	375	423	470	516	564	614	663	723	782	848
	SIZE 6 - MEDIUM SEAT, MEDIUM BACK															
	CK	6	10	00	CENTER PIVOT TILT, ARMLESS	1.75	381	437	491	546	602	659	717	787	855	932
	CK	6	63	00	BASIC TASK, ARMLESS	1.75	392	448	502	557	613	670	728	798	866	943
	SIZE 7 - LARGE SEAT, MEDIUM BACK															
	CK	7	10	00	CENTER PIVOT TILT, ARMLESS	1.75	392	448	502	557	613	670	728	798	866	943
	CK	7	63	00	BASIC TASK, ARMLESS	1.75	403	459	513	568	624	681	739	809	877	954
	SIZE 8 - LARGE SEAT, HIGH BACK															
	CK	8	10	00	CENTER PIVOT TILT, ARMLESS	2.0	409	473	535	597	661	727	793	873	951	1,039
	CK	8	63	00	BASIC TASK, ARMLESS	2.0	420	484	546	608	672	738	804	884	962	1,050





TO ORDER FOLLOW STEPS 1-7



DESCRIPTION


C.O.M.

FABRIC
UPHOLSTERY
GRADES
C.O.M.

SERIES	SIZE	CONTROL	ARMS	YDG.	A	B	C	D	E	F	G	H	I	J
 SIZE 5 - MEDIUM SEAT, LOW BACK CK 5 27 00	CENTER PIVOT SYNCHRO TILT, ARMLESS	1.5	487	535	582	628	676	726	775	835	894	960		
 SIZE 6 - MEDIUM SEAT, MEDIUM BACK CK 6 27 00	CENTER PIVOT SYNCHRO TILT, ARMLESS	1.75	504	560	614	669	725	782	840	910	978	1,055		
 SIZE 7 - LARGE SEAT, MEDIUM BACK CK 7 27 00	CENTER PIVOT SYNCHRO TILT, ARMLESS	1.75	515	571	625	680	736	793	851	921	989	1,066		
 SIZE 8 - LARGE SEAT, HIGH BACK CK 8 27 00	CENTER PIVOT SYNCHRO TILT, ARMLESS	2.0	532	596	658	720	784	850	916	996	1,074	1,162		

TO ORDER FOLLOW STEPS 1-7

1 SERIES 2 SIZES 3 CONTROLS/FUNCTION 4 ARM CHOICES 5 OPTIONS 6 FINISH CHOICE 7 COVER







click

TASK INTENSIVE MODELS
EXTERNAL BACK HEIGHT ADJUSTMENT
OPTIONAL ARMS

DESCRIPTION


C.O.M.

FABRIC
 UPHOLSTERY
 GRADES

SERIES	SIZE	CONTROL	ARMS	YDG.	A	B	C	D	E	F	G	H	I	J
 SIZE 5 - MEDIUM SEAT, LOW BACK CK 5 66 00	HIGHLY ADJ. TASK, ARMLESS	1.5	420	468	515	561	609	659	708	768	827	893		
 SIZE 6 - MEDIUM SEAT, MEDIUM BACK CK 6 66 00	HIGHLY ADJ. TASK, ARMLESS	1.75	437	493	547	602	658	715	773	843	911	988		
 SIZE 7 - LARGE SEAT, MEDIUM BACK CK 7 66 00	HIGHLY ADJ. TASK, ARMLESS	1.75	448	504	558	613	669	726	784	854	922	999		
 SIZE 8 - LARGE SEAT, HIGH BACK CK 8 66 00	HIGHLY ADJ. TASK, ARMLESS	2.0	465	529	591	653	717	783	849	929	1,007	1,095		

TO ORDER FOLLOW STEPS 1-7





1 SERIES 2 SIZES 3 CONTROL/FUNCTION 4 ARM CHOICES 5 OPTIONS 6 FINISH CHOICE 7 COVER




DESCRIPTION

C.O.M.

FABRIC
 UPHOLSTERY
 GRADES

SERIES	SIZE	CONTROL	ARMS	YDG.	A	B	C	D	E	F	G	H	I	J		
	SIZE 5 - MEDIUM SEAT, LOW BACK															
	CK	5	76	00	HIGHLY ADJ.TASK, ARMLESS	1.5	476	524	571	617	665	715	764	824	883	949
	CK	5	79	00	HIGHLY ADJ.TASK, CENTER PIVOT TILT, ARMLESS	1.5	532	580	627	673	721	771	820	880	939	1,005
	SIZE 6 - MEDIUM SEAT, MEDIUM BACK															
	CK	6	76	00	HIGHLY ADJ.TASK, ARMLESS	1.75	493	549	603	658	714	771	829	899	967	1,044
	CK	6	79	00	HIGHLY ADJ.TASK, CENTER PIVOT TILT, ARMLESS	1.75	549	605	659	714	770	827	885	955	1,023	1,100
	SIZE 7 - LARGE SEAT, MEDIUM BACK															
	CK	7	76	00	HIGHLY ADJ.TASK, ARMLESS	1.75	504	560	614	669	725	782	840	910	978	1,055
	CK	7	79	00	HIGHLY ADJ.TASK, CENTER PIVOT TILT, ARMLESS	1.75	560	616	670	725	781	838	896	966	1,034	1,111
	SIZE 8 - LARGE SEAT, HIGH BACK															
	CK	8	76	00	HIGHLY ADJ.TASK, ARMLESS	2.0	521	585	647	709	773	839	905	985	1,063	1,151
	CK	8	79	00	HIGHLY ADJ.TASK, CENTER PIVOT TILT, ARMLESS	2.0	577	641	703	765	829	895	961	1,041	1,119	1,207

TO ORDER FOLLOW STEPS 1-7







click 24 hour




TASK INTENSIVE MODELS
OPTIONAL ARMS

DESCRIPTION

FABRIC
UPHOLSTERY
GRADES

SERIES	SIZE	CONTROL	ARMS		A	C
 SIZE 5 - MEDIUM SEAT, LOW BACK CT 5 79 00				HIGHLY ADJ. TASK, CENTER PIVOT TILT, ARMLESS	621	716
 SIZE 6 - MEDIUM SEAT, MEDIUM BACK CT 6 79 00				HIGHLY ADJ. TASK, CENTER PIVOT TILT, ARMLESS	638	748
 SIZE 7 - LARGE SEAT, MEDIUM BACK CT 7 79 00				HIGHLY ADJ. TASK, CENTER PIVOT TILT, ARMLESS	649	759
 SIZE 8 - LARGE SEAT, HIGH BACK CT 8 79 00				HIGHLY ADJ. TASK, CENTER PIVOT TILT, ARMLESS	666	792

TO ORDER FOLLOW STEPS 1-7


1 SERIES	2 SIZES	3 CONTROLS/FUNCTION	4 ARM CHOICES	5 OPTIONS	6 FINISH CHOICE	7 COVER
<p>CT</p> <p>CT CLICK 24-HOUR</p>	<p>5 SEAT: MEDIUM 19"W X 16.5"D BACK: LOW 17"H X 17.5"W</p> <p>6 SEAT: MEDIUM 19"W X 16.5"D BACK: MEDIUM 19"H X 18"W</p> <p>7 SEAT: LARGE 21.5"W X 18.5"D BACK: MEDIUM 19"H X 18"W</p> <p>8 SEAT: LARGE 21.5"W X 18.5"D BACK: HIGH 21"H X 19"W</p>	<p>79 HIGHLY ADJ. TASK, CENTER PIVOT TILT ADJUSTMENTS: PNEUMATIC SEAT HEIGHT, CONCEALED BACK HEIGHT, BACK ANGLE, SEAT ANGLE, FORWARD TILT, TILT TENSION • OPTIONAL SEAT SLIDE</p>	<p>00  ARMLESS +00</p> <p>04  FIXED HEIGHT, URETHANE T-SHAPE ARMS +79</p> <p>16  ADJUSTABLE HEIGHT ARMS WITH URETHANE PAD +89</p>	<p>SS SEAT SLIDE +76 • AVAILABLE ON 79 CONTROL</p> <p>W WIDTH ADJUSTMENT +23 FOR 16 ARMS</p> <p>R RUBBER TIRE CASTERS +25</p>	<p>TB</p> <p>TB TEXTURED BLACK</p>	<p>REFER TO STYLEX SWATCH CARDS AND SEPARATELY PUBLISHED IN-GRADED FABRIC PROGRAM TO DETERMINE GRADES. SEE GENERAL INFORMA- TION SECTION FOR CAL 133 INFORMATION.</p>

DESCRIPTION

FABRIC
UPHOLSTERY
GRADES

C.O.M.

C.O.M.

SERIES	SIZE	FRAME	ARMS	YDG.	A	B	C	D	E	F	G	H	I	J
 SIZE 4 - MEDIUM SEAT, LOW BACK CK	4	04	78	1.5	297	344	391	438	485	535	584	644	703	769

TO ORDER FOLLOW STEPS 1-6

1 SERIES 2 SIZES 3 FRAME/BASE 4 ARM CHOICES 5 FINISH CHOICES 6 COVER

