

PRICES EFFECTIVE
JANUARY 2011

STYLIX FLEX

insight mesh



price list

MEDIUM SEAT
MEDIUM BACK

MEDIUM SEAT
HIGH BACK

SLID BASE

DRAFTING
STOOL

DRAFTING
STOOL

GENERAL INFORMATION

DIMENSIONS / OVERVIEW

SIZE 6 MESH BACK

SIZE 8 MESH BACK

GUEST

INTERMEDIATE HEIGHT


FULL HEIGHT

GENERAL DIMENSIONS


- A. SEAT HEIGHT*
- B. SEAT DEPTH
- C. BACK HEIGHT
- D. SEAT WIDTH & OVERALL WIDTH (ARMLESS)
- E. MAXIMUM OVERALL HEIGHT*

* MEASUREMENTS GIVEN ARE ACCURATE FOR MOST CONTROLS. SPECIFIC MODELS MAY VARY SLIGHTLY.


- A. 17"- 21"
- B. 18"
- C. 20"
- D. 20.5"
- E. 35.5"- 39"




- A. 17"- 21"
- B. 18"
- C. 23.5"
- D. 20.5"
- E. 39"- 42.5"




- A. 17"
- B. 18"
- C. 18"
- D. 20.5"
- E. 33.5"



- A. 20.5"-28.5"
- B. 18"
- C. 18"
- D. 20.5"
- E. 46.5"



- A. 23.5"-33.5"
- B. 18"
- C. 18"
- D. 20.5"
- E. 51.5"



DESIGN
STYLEX


BACK CONSTRUCTION
BACKS CONSIST OF A MESH COVER ENCASING A 5/8" STEEL ROD FRAME THAT HAS BEEN SEALED IN A SOFT PROTECTIVE URETHANE. THE MESH ITSELF IS A KNIT COMBINATION OF POLYESTER AND ELASTOMERIC THREAD.

SEAT CONSTRUCTION
SEATS INCORPORATE COMPOUND CURVE PLYWOOD COVERED WITH CUSHIONS OF CFC-FREE POLYURETHANE.


T-SHAPE ADJUSTABLE ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT

- A. 26"
- B. 19"
- C. 6.5"-9.5"




- A. 26"
- B. 19"
- C. 6.5"-9.5"




- A. 25.5"
- B. 19"
- C. 8.5"



- A. 26"
- B. 19"
- C. 6.5"-9.5"



- A. 26"
- B. 19"
- C. 6.5"-9.5"




ARMS

HEIGHT-ADJUSTABLE AND FIXED HEIGHT T-ARMS HAVE PADS MADE FROM SELF-SKINNED URETHANE OVER A STEEL FRAME. FIXED HEIGHT CANTILEVER ARMS MAY BE BLACK POLYURETHANE, UPHOLSTERED, OR CAST ALUMINUM. ALUMINUM ARMS MAY BE POLISHED OR PAINTED WITH OR WITHOUT CAPS. CAPS MAY BE UPHOLSTERED OR BLACK PLASTIC.


T-SHAPE FIXED ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 25.5"
- B. 19"
- C. 8.5"




- A. 25.5"
- B. 19"
- C. 8.5"




- A. 25.5"
- B. 19"
- C. 8.5"



- A. 25.5"
- B. 19"
- C. 8.5"



- A. 25.5"
- B. 19"
- C. 8.5"



BASES

THE STANDARD FIVE PRONG BASE IS BLACK, GLASS-FILLED NYLON. AN OPTIONAL CAST ALUMINUM BASE IS AVAILABLE EITHER WITH HIGHLY POLISHED FINISH OR A CHOICE OF POWDER COAT FINISHES.


CASTERS

OPTIONAL RUBBER-TIRED CASTERS MUST BE USED ON HARD FLOORS SUCH AS WOOD, LINOLEUM OR CONCRETE. PLEASE BE SURE TO SPECIFY RUBBER-TIRED CASTERS FOR THESE APPLICATIONS.


CANTILEVERED FIXED ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 25"
- B. 21"
- C. 8.5"




- A. 25"
- B. 21"
- C. 8.5"




- A. 25"
- B. 21"
- C. 8.5"



- A. 25"
- B. 21"
- C. 8.5"



- A. 25"
- B. 21"
- C. 8.5"



TESTING

MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS.


ENVIRONMENT

GREENGUARD CERTIFIED.


FIXED ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 24"
- B. 20"
- C. 8.5"




- A. 24"
- B. 20"
- C. 8.5"




- A. 24"
- B. 20"
- C. 8.5"






- A. 24"
- B. 20"
- C. 8.5"



- A. 24"
- B. 20"
- C. 8.5"









SERIES	STYLE	SIZE	CONTROL	ARMS	DESCRIPTION	YDG. SQ.FT.		LEATHER UPHOLSTERY GRADES													
						C.O.M.	C.O.L.	A	B	C	D	E	F	G	H	I	J	W	X	Y	
	IN	1	5	00	00	ARMLESS	.75	10	605	630	654	679	704	729	755	786	816	850	746	778	849
						FIXED HEIGHT, BLACK, URETHANE CAP	.75	10	740	765	789	814	838	863	889	920	950	984	881	913	983
	IN	1	5	00	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	750	775	799	824	849	874	899	930	960	995	891	923	994
						C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	864	889	913	938	963	987	1,013	1,044	1,074	1,108	1,005	1,037	1,107
						C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	890	915	939	964	988	1,013	1,039	1,070	1,100	1,134	1,031	1,063	1,133
						C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	916	941	965	989	1,014	1,039	1,065	1,096	1,126	1,160	1,057	1,089	1,159
						FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		20											1,247	1,308	1,447
	IN	1	5	00	21	FIXED ARM WITH URETHANE CAP	.75	10	730	755	778	803	828	853	879	910	940	974	870	903	973
						FIXED CHROME ARM WITH URETHANE CAP	.75	10	750	775	799	824	849	874	899	930	960	995	891	923	994

TO ORDER FOLLOW STEPS 1-6







1 SERIES/STYLE/SIZE 2 ARM CHOICES 3 MESH 4 OPTIONS 5 FINISH CHOICES 6 COVER

1 **MESH MEDIUM BACK**
SEAT: MEDIUM
20.5"W X 18.5"D
BACK: MEDIUM
18"H X 20.5"W

2 **ARM CHOICES**

- 00  ARMLESS
- 21  FIXED HEIGHT ARMS WITH URETHANE ARM CAPS
- 31  FIXED HEIGHT CHROME ARMS WITH URETHANE ARM CAPS
- 79  FIXED HEIGHT T-ARMS BLACK, URETHANE CAP
- 51  FIXED HEIGHT C-ARM, BLACK URETHANE
- 54  FIXED HEIGHT C-ARM, PAINTED ALUMINUM

3 **MESH**

- 64  FIXED HEIGHT C-ARM POLISHED ALUMINUM
- 55  FIXED HEIGHT C-ARM, PAINTED ALUMINUM WITH PLASTIC CAP
- 65  FIXED HEIGHT C-ARM, POLISHED ALUMINUM WITH PLASTIC CAPS
- 56  FIXED HEIGHT C-ARM, PAINTED ALUMINUM WITH UPHOLSTERED CAP
- 66  FIXED HEIGHT C-ARM, POLISHED ALUMINUM WITH UPHOLSTERED CAP
- 57  FIXED HEIGHT C-ARM, UPHOLSTERED

NOTE: COMS, COLS AND IN-GRADED FABRICS MUST BE APPROVED SPECIFICALLY FOR UPHOLSTERED ARM CAPS.

4 **MESH**

- 30 ANTHRACITE
- 31 MUSHROOM
- 32 ZINC
- 33 JAVA
- 34 BLACK ICE
- 35 CAMEL
- 36 MARINE
- 37 KOI

5 **FINISH CHOICES**

CT CONTRASTING THREAD +00

PA POLISHED ALUMINUM ARMS/CHROME BASE +52

STANDARD POWDER PAINT

- TB TEXTURED BLACK +00
- TG TEXTURED GRAY +00
- TK TEXTURED KHAKI +00
- TP TEXTURED PEWTER +00
- SM SILVER MATTE +00
- GB GLOSSY BLACK +00
- GW GLOSSY WHITE +00
- WW WARM WHITE +00

DOUBLE COAT POWDER PAINT*

- MS METALLIC SILVER +26
- MD METALLIC DUSK +26
- MF METALLIC FIELDSTONE +26
- MB METALLIC BRONZE +26

* INCLUDES A PROTECTIVE CLEAR COAT

THE FINISH SELECTION WILL BE APPLIED TO THE ALUMINUM BASE AND/OR ARMS PER THE MODEL CODES.
POLISHED ARMS CAN BE ORDERED WITH A PAINTED BASE OR VICE VERSA BY DESIGNATING ONE COMPONENT FOR PAINTED FINISH AND THE OTHER AS POLISHED.

6 **COVER**

SEE SWATCH CARDS FOR STANDARD UPHOLSTERY OPTIONS.

SEE GENERAL INFORMATION SECTION FOR DETAILS ON COM AND IN-GRADED FABRIC PROGRAM.

SEE GENERAL INFORMATION SECTION FOR CAL 133 INFORMATION.

insight mesh

GENERAL ENVIRONMENT
DRAFTING
MESH BACK

DESCRIPTION

C.O.M.
C.O.L.

FABRIC
UPHOLSTERY
GRADES
C.O.M.
C.O.L.

LEATHER UPHOLSTERY
GRADES

SERIES STYLE SIZE CONTROL CYLINDER ARMS								YDG.SQ.FT.		A B C D E F G H I J W X Y															
		INTERMEDIATE DRAFTING HEIGHT		IN	1	5	61	M	00	ARMLESS	.75	10	654	679	703	728	752	777	803	834	864	898	1,084	1,172	1,384
		ADJUSTABLE HEIGHT, BLACK, URETHANE CAP		IN	1	5	61	M	59	.75	10	799	824	848	873	897	922	948	979	1,009	1,043	1,229	1,317	1,529	
		ADJUSTABLE HEIGHT, CHROME, URETHANE CAP		IN	1	5	61	M	69	.75	10	809	834	858	883	908	933	958	989	1,019	1,054	1,239	1,327	1,539	
		FIXED HEIGHT, BLACK, URETHANE CAP		IN	1	5	61	M	79	.75	10	789	814	837	862	887	912	938	969	999	1,033	1,218	1,306	1,518	
		FIXED HEIGHT C-ARM, BLACK URETHANE		IN	1	5	61	M	51	.75	10	799	824	848	873	897	922	948	979	1,009	1,043	1,229	1,317	1,529	
		C-ARM, PAINTED OR POLISHED ALUMINUM		IN	1	5	61	M	54/64	.75	10	913	938	962	986	1,011	1,036	1,062	1,093	1,123	1,157	1,342	1,430	1,643	
		C-ARM, PAINTED OR POLISHED, PLASTIC CAP		IN	1	5	61	M	55/65	.75	10	939	964	987	1,012	1,037	1,062	1,088	1,119	1,149	1,183	1,368	1,456	1,668	
		C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP		IN	1	5	61	M	56/66	.75	10	965	989	1,013	1,038	1,063	1,088	1,114	1,145	1,175	1,209	1,394	1,482	1,694	
		FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		IN	1	5	61	M	57		20			1,098							1,688	1,805	2,086		
		FIXED ARM WITH URETHANE CAP		IN	1	5	61	M	21	.75	10	778	803	827	852	877	901	927	958	988	1,023	1,208	1,296	1,508	
		FIXED CHROME ARM WITH URETHANE CAP		IN	1	5	61	M	31	.75	10	799	824	848	873	897	922	948	979	1,009	1,043	1,229	1,317	1,529	
		FULL DRAFTING HEIGHT		IN	1	5	61	H	00	ARMLESS	.75	10	656	681	705	730	755	779	805	836	866	900	1,086	1,174	1,386
		ADJUSTABLE HEIGHT, BLACK, URETHANE CAP		IN	1	5	61	H	59	.75	10	801	826	850	875	899	924	950	981	1,011	1,045	1,231	1,319	1,531	
		ADJUSTABLE HEIGHT, CHROME, URETHANE CAP		IN	1	5	61	H	69	.75	10	811	836	860	885	910	935	960	992	1,022	1,056	1,241	1,329	1,541	
		FIXED HEIGHT, BLACK, URETHANE CAP		IN	1	5	61	H	79	.75	10	791	816	839	864	889	914	940	971	1,001	1,035	1,220	1,308	1,520	
		FIXED HEIGHT C-ARM, BLACK URETHANE		IN	1	5	61	H	51	.75	10	801	826	850	875	899	924	950	981	1,011	1,045	1,231	1,319	1,531	
		C-ARM, PAINTED OR POLISHED ALUMINUM		IN	1	5	61	H	54/64	.75	10	915	940	964	988	1,013	1,038	1,064	1,095	1,125	1,159	1,344	1,432	1,645	
		C-ARM, PAINTED OR POLISHED, PLASTIC CAP		IN	1	5	61	H	55/65	.75	10	941	966	989	1,014	1,039	1,064	1,090	1,121	1,151	1,185	1,370	1,458	1,670	
		C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP		IN	1	5	61	H	56/66	.75	10	967	992	1,015	1,040	1,065	1,090	1,116	1,147	1,177	1,211	1,396	1,484	1,696	
		FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		IN	1	5	61	H	57		20			1,100							1,690	1,807	2,088		
		FIXED ARM WITH URETHANE CAP		IN	1	5	61	H	21	.75	10	780	805	829	854	879	904	929	960	990	1,025	1,210	1,298	1,510	
		FIXED CHROME ARM WITH URETHANE CAP		IN	1	5	61	H	31	.75	10	801	826	850	875	899	924	950	981	1,011	1,045	1,231	1,319	1,531	

TO ORDER FOLLOW STEPS 1-8

1 SERIES/STYLE/SIZE 2 CONTROLS/FUNCTION CYLINDER 3 ARM CHOICES 4 MESH 5 OPTIONS 6 FINISH CHOICES 7 COVER

IN15
MESH MEDIUM BACK
SEAT: MEDIUM
20.5"W X 18.5"D
BACK: MEDIUM
18"H X 20.5"W

61
BASIC SWIVEL
ADJUSTMENTS:
PNEUMATIC
SEAT HEIGHT

M INTERMEDIATE HEIGHT
H FULL HEIGHT


00 ARMLESS
21 FIXED HEIGHT ARMS
WITH URETHANE
ARM CAPS
31 FIXED HEIGHT CHROME
ARMS WITH URETHANE
ARM CAPS
59 ADJUSTABLE HEIGHT ARM,
BLACK, URETHANE CAP
69 ADJUSTABLE HEIGHT ARM,
CHROME, URETHANE CAP
79 FIXED HEIGHT T-ARMS
BLACK, URETHANE CAP
51 FIXED HEIGHT C-ARM,
BLACK URETHANE

54 FIXED HEIGHT C-ARM,
PAINTED ALUMINUM
64 FIXED HEIGHT C-ARM
POLISHED ALUMINUM
55 FIXED HEIGHT C-ARM,
PAINTED ALUMINUM
WITH PLASTIC CAP
65 FIXED HEIGHT C-ARM,
POLISHED ALUMINUM
WITH PLASTIC CAPS
56 FIXED HEIGHT C-ARM,
PAINTED ALUMINUM
WITH UPHOLSTERED CAP
66 FIXED HEIGHT C-ARM,
POLISHED ALUMINUM
WITH UPHOLSTERED CAP
57 FIXED HEIGHT C-ARM,
UPHOLSTERED

NOTE: COMS, COLS AND
IN-GRADED FABRICS MUST BE
APPROVED SPECIFICALLY FOR
UPHOLSTERED ARM CAPS.

MESH
30 ANTHRACITE
31 MUSHROOM
32 ZINC
33 JAVA
34 BLACK ICE
35 CAMEL
36 MARINE
37 KOI

R RUBBER TIRED CASTERS +26
GL GLIDE SUBSTITUTION +00
CT CONTRASTING THREAD +00
B22 PAINTED CAST
ALUMINUM BASE +114
B23 POLISHED CAST
ALUMINUM BASE +114
BG BUMPER GUARDS
RECOMMENDED FOR
WORKSTATION USE +16



STANDARD POWDER PAINT
TB TEXTURED BLACK
TG TEXTURED GRAY*
TK TEXTURED KHAKI*
TP TEXTURED PEWTER*
SM SILVER MATTE*
GB GLOSSY BLACK*
GW GLOSSY WHITE*
WW WARM WHITE*
* THE FINISH SELECTION WILL
BE APPLIED TO THE ALUMINUM
BASE AND/OR ARMS PER THE
MODEL CODES.

DOUBLE COAT POWDER PAINT*
MS METALLIC SILVER
MD METALLIC DUSK
MF METALLIC FIELDSTONE
MB METALLIC BRONZE
* INCLUDES A PROTECTIVE
CLEAR COAT
THE FINISH SELECTION WILL
BE APPLIED TO THE ALUMINUM
BASE AND/OR ARMS PER THE
MODEL CODES.
POLISHED ARMS CAN BE OR-
DERED WITH A PAINTED BASE
OR VICE VERSA BY DESIGNAT-
ING ONE COMPONENT FOR
PAINTED FINISH AND THE
OTHER AS POLISHED.

SEE SWATCH CARDS FOR
STANDARD UPHOLSTERY
OPTIONS.
SEE GENERAL INFOR-
MATION SECTION FOR
DETAILS ON COM AND
IN-GRADED FABRIC
PROGRAM.
SEE GENERAL INFOR-
MATION SECTION FOR CAL
133 INFORMATION.