

MARCH 2010
PRICES EFFECTIVE
APRIL 2008

S T I L L E X



m x 2

price list

m x 2

PRODUCT INFORMATION

APPLICATIONS:
EXECUTIVE / CONFERENCE

MEDIUM SEAT
MEDIUM BACK

GENERAL INFORMATION

DIMENSIONS / OVERVIEW


SIZE 6 UPHOLSTERED BACK

GENERAL DIMENSIONS

- A. SEAT HEIGHT*
- B. SEAT DEPTH
- C. BACK HEIGHT
- D. SEAT WIDTH & OVERALL WIDTH (ARMLESS)
- E. MAXIMUM OVERALL HEIGHT*

* MEASUREMENTS GIVEN MAY VARY SLIGHTLY WITH EACH CONTROL AND BASE OPTION.


- A. 16.5" - 20.5"
- B. 18"
- C. 20"
- D. 20.5"
- E. 35.5" - 39"



T-SHAPE ADJUSTABLE ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 25.5"
- B. 19"
- C. 6.5"



FIXED ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT

- A. 24"
- B. 20"
- C. 8.5"



DESIGN
STYLEX

BACK CONSTRUCTION
BACKS CONSIST OF AN UPHOLSTERED COVER PULLED OVER AN ELASTOMERIC SUB-SURFACE ENCASED IN A 5/8" STEEL ROD FRAME. ON THE FRONT SIDE, BETWEEN THE SUB-SURFACE AND THE UPHOLSTERY IS 1/2" OF RESILIENT FOAM.

SEAT CONSTRUCTION
SEATS INCORPORATE COMPOUND CURVE PLYWOOD COVERED WITH CUSHIONS OF CFC-FREE POLYURETHANE.

ARMS
ARM PADS ARE MADE FROM SELF-SKINNED URETHANE OVER A STEEL FRAME. PADS MAY BE UPHOLSTERED AS AN OPTION.

BASES
THE STANDARD FIVE PRONG BASE IS GLASS-FILLED NYLON. AN OPTIONAL CAST ALUMINUM BASE IS AVAILABLE EITHER WITH HIGHLY POLISHED FINISH OR TEXTURED-BLACK POWDER COAT.

CASTERS
OPTIONAL RUBBER-TIRED CASTERS MUST BE USED ON HARD FLOORS SUCH AS WOOD, LINOLEUM OR CONCRETE. PLEASE BE SURE TO SPECIFY RUBBER-TIRED CASTERS FOR THESE APPLICATIONS.

TESTING
MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS.

ENVIRONMENT
GREENGUARD CERTIFIED.

















mx2 upholstered back swivel

CONFERENCE - VARIABLE TASK
OPTIONAL ARMS

DESCRIPTION

FABRIC
UPHOLSTERY
GRADES

LEATHER UPHOLSTERY
GRADES

SERIES	STYLE	SIZE	CONTROL	ARMS	DESCRIPTION	C.O.M.	C.O.L.	YDG. SQ.FT.	FABRIC UPHOLSTERY GRADES											LEATHER UPHOLSTERY GRADES				
									A	B	C	D	E	F	G	H	I	J	W	X	Y			
CENTER PIVOT TILT																								
	MX	2	6	10	00	ARMLESS		1.6 28	665	716	766	815	867	919	972	1,036	1,099	1,169	1,080	1,165	1,370			
	MX	2	6	10	19	ADJUSTABLE ARM W/URETHANE CAP		1.6 28	805	856	906	955	1,007	1,059	1,112	1,176	1,239	1,309	1,220	1,305	1,510			
	MX	2	6	10	29	ADJUSTABLE ARM W/UPHOLSTERED CAP		1.8 30	875	926	976	1,025	1,077	1,129	1,182	1,246	1,309	1,379	1,290	1,375	1,580			
	MX	2	6	10	39	ADJUSTABLE CHROME ARM W/URETHANE CAP		1.6 28	820	871	921	970	1,022	1,074	1,127	1,191	1,254	1,324	1,235	1,320	1,525			
	MX	2	6	10	49	ADJUSTABLE CHROME ARM W/UPHOLSTERED CAP		1.8 30	890	941	991	1,040	1,092	1,144	1,197	1,261	1,324	1,394	1,305	1,390	1,595			
	MX	2	6	10	21	FIXED ARM WITH URETHANE CAP		1.6 28	785	836	886	935	987	1,039	1,092	1,156	1,219	1,289	1,200	1,285	1,490			
	MX	2	6	10	31	FIXED CHROME ARM WITH URETHANE CAP		1.6 28	805	856	906	955	1,007	1,059	1,112	1,176	1,239	1,309	1,220	1,305	1,510			
	MX	2	6	10	31	FIXED CHROME ARM WITH URETHANE CAP		1.6 28	805	856	906	955	1,007	1,059	1,112	1,176	1,239	1,309	1,220	1,305	1,510			
MID PIVOT SYNCHRO TILT																								
	MX	2	6	27	00	ARMLESS		1.6 28	805	856	906	955	1,007	1,059	1,112	1,176	1,239	1,309	1,220	1,305	1,510			
	MX	2	6	27	19	ADJUSTABLE ARM WITH URETHANE CAP		1.6 28	945	996	1,046	1,095	1,147	1,199	1,252	1,316	1,379	1,449	1,360	1,445	1,650			
	MX	2	6	27	29	ADJUSTABLE ARM WITH UPHOLSTERED CAP		1.8 30	1,015	1,066	1,116	1,165	1,217	1,269	1,322	1,386	1,449	1,519	1,430	1,515	1,720			
	MX	2	6	27	39	ADJUSTABLE CHROME ARM W/URETHANE CAP		1.6 28	960	1,011	1,061	1,110	1,162	1,214	1,267	1,331	1,394	1,464	1,375	1,460	1,665			
	MX	2	6	27	49	ADJUSTABLE CHROME ARM W/UPHOLSTERED CAP		1.8 30	1,030	1,081	1,131	1,180	1,232	1,284	1,337	1,401	1,464	1,534	1,445	1,530	1,735			
	MX	2	6	27	21	FIXED ARM WITH URETHANE CAP		1.6 28	925	976	1,026	1,075	1,127	1,179	1,232	1,296	1,359	1,429	1,340	1,425	1,630			
	MX	2	6	27	31	FIXED CHROME ARM WITH URETHANE CAP		1.6 28	945	996	1,046	1,095	1,147	1,199	1,252	1,316	1,379	1,449	1,360	1,445	1,650			
	MX	2	6	27	31	FIXED CHROME ARM WITH URETHANE CAP		1.6 28	945	996	1,046	1,095	1,147	1,199	1,252	1,316	1,379	1,449	1,360	1,445	1,650			

TO ORDER FOLLOW STEPS 1-7

1 SERIES/STYLE 2 SIZE 3 CONTROLS/FUNCTION 4 ARM CHOICES 5 OPTIONS 6 FINISH CHOICES 7 COVER

