

PRICES EFFECTIVE
JANUARY 2011

STYLIX FLEX



swing +

price list

swing +

PRODUCT INFORMATION

APPLICATIONS:

- GENERAL ENVIRONMENT
- VARIABLE TASK
- TASK INTENSIVE

MEDIUM SEAT
MEDIUM BACK

MEDIUM SEAT
HIGH BACK

LARGE SEAT
HIGH BACK

LARGE SEAT
TALL BACK

GENERAL INFORMATION

DIMENSIONS / OVERVIEW

SIZE 6

SIZE 7

SIZE 8


SIZE 9

GENERAL DIMENSIONS


- A. SEAT HEIGHT
- B. SEAT DEPTH
- C. BACK HEIGHT†
- D. SEAT WIDTH & OVERALL WIDTH (ARMLESS)
- E. MAXIMUM OVERALL HEIGHT*

* MEASUREMENTS GIVEN ARE ACCURATE FOR MOST CONTROLS. SPECIFIC MODELS MAY VARY SLIGHTLY.
† MEASUREMENTS GIVEN ARE WITH CONTROLS OFFERING INTERNAL BACK HEIGHT ADJUSTMENT.


- A. 16"-21.5"
- B. 17.5"
- C. 19"
- D. 20.5"
- E. 36.5"-40"




- A. 16"-21.5"
- B. 17.5"
- C. 22.5"
- D. 20.5"
- E. 39.5"-43"



- A. 16"-21.5"
- B. 18.5"
- C. 22.5"
- D. 21.5"
- E. 39.5"-43"



- A. 16"-21.5"
- B. 18.5"
- C. 25.5"
- D. 21.5"
- E. 45.5"-49"



DESIGN

MICHAEL SCHMICK

CONSTRUCTION

SEATS AND BACKS INCORPORATE COMPOUND-CURVED PLYWOOD COVERED WITH CUSHIONS OF HIGH-DENSITY, CFC-FREE POLYURETHANE FOAM. FRAMES ARE METAL TUBE.


ARM PADS

ALL ARM PADS ARE MADE FROM SOFT SELF-SKINNED URETHANE. PADS MAY BE UPHOLSTERED AS AN OPTION.


HEIGHT ADJUSTABLE ARM OPTIONS

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 25"
- B. 19"
- C. 6.5"-9"




- A. 25"
- B. 19"
- C. 6.5"-9"



- A. 26"
- B. 20"
- C. 6.5"-9"



- A. 26"
- B. 20"
- C. 6.5"-9"



BASES

THE STANDARD BASE IS FIVE-PRONG, GLASS-FILLED NYLON. OPTIONAL BASES INCLUDE POLISHED ALUMINUM OR POWDER-COATED ALUMINUM.


CASTERS

OPTIONAL RUBBER-TIRED CASTERS MUST BE USED ON HARD FLOORS SUCH AS WOOD, LINOLEUM OR CONCRETE. PLEASE BE SURE TO SPECIFY RUBBER-TIRED CASTERS FOR THESE APPLICATIONS.


FIXED ARMS OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 25"
- B. 20.5"
- C. 9"




- A. 25"
- B. 20.5"
- C. 9"



- A. 26"
- B. 21.5"
- C. 9"



- A. 26"
- B. 21.5"
- C. 9"



SEAT-DEPTH OPTION

27 CONTROLS ARE AVAILABLE WITH OPTIONAL SEAT-DEPTH ADJUSTMENT.

UPHOLSTERED ARM

FULLY UPHOLSTERED ARM IS MOLDED OF URETHANE WITH A HIGH DENSITY FOAM EXTERIOR.

TESTING

MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS.

ENVIRONMENT





GREENGUARD CERTIFIED.

swing +

GENERAL ENVIRONMENT MODELS
FIXED HEIGHT UPHOLSTERED ARMS

DESCRIPTION

LEATHER
UPHOLSTERY
GRADES

SERIES		SIZE	CONTROL	ARMS	C.O.L.	SQ. FT.	D	W	X	Y
	SIZE 6 - MEDIUM SEAT, MEDIUM BACK									
	SP	6	16	27	MID PIVOT TILT, ARMS	39	1,323	1,699	1,768	2,100
	SP	6	27	27	MID PIVOT SYNCHRO TILT, ARMS	39	1,395	1,772	1,840	2,172
	SP	6	31	27	FORWARD PIVOT SYNCHRO TILT, ARMS	39	1,457	1,834	1,902	2,235
	SIZE 7 - MEDIUM SEAT, HIGH BACK									
	SP	7	16	27	MID PIVOT TILT, URETHANE ARMS	40	1,368	1,739	1,809	2,151
	SP	7	27	27	MID PIVOT SYNCHRO TILT, ARMS	40	1,441	1,811	1,882	2,223
	SP	7	31	27	FORWARD PIVOT SYNCHRO TILT, ARMS	40	1,503	1,873	1,944	2,285
	SIZE 8 - LARGE SEAT, HIGH BACK									
	SP	8	16	27	MID PIVOT TILT, URETHANE ARMS	42	1,399	1,787	1,860	2,213
	SP	8	27	27	MID PIVOT SYNCHRO TILT, ARMS	42	1,472	1,860	1,932	2,285
	SP	8	31	27	FORWARD PIVOT SYNCHRO TILT, ARMS	42	1,534	1,922	1,994	2,347
	SIZE 9 - LARGE SEAT, TALL BACK									
	SP	9	16	27	MID PIVOT TILT, URETHANE ARMS	44	1,453	1,843	1,920	2,295
	SP	9	27	27	MID PIVOT SYNCHRO TILT, ARMS	44	1,526	1,916	1,992	2,367
	SP	9	31	27	FORWARD PIVOT SYNCHRO TILT, ARMS	44	1,588	1,978	2,054	2,429

TO ORDER FOLLOW STEPS 1-7

1 SERIES 2 SIZES 3 CONTROLS/FUNCTION 4 ARM CHOICE 5 OPTIONS 6 FINISH CHOICE 7 COVER

