

PRICES EFFECTIVE
JULY 1, 2019

STYLISH FLEX

insight mesh



price list

PRODUCT INFORMATION

APPLICATIONS:

EXECUTIVE / CONFERENCE

MEDIUM SEAT
MEDIUM BACK

MEDIUM SEAT
HIGH BACK

DRAFTING
STOOL

DRAFTING
STOOL

GENERAL INFORMATION

DIMENSIONS / OVERVIEW

SIZE 6 MESH BACK

SIZE 8 MESH BACK

INTERMEDIATE HEIGHT


FULL HEIGHT

GENERAL DIMENSIONS


- A. SEAT HEIGHT*
- B. SEAT DEPTH
- C. BACK HEIGHT
- D. SEAT WIDTH & OVERALL WIDTH (ARMLESS)
- E. MAXIMUM OVERALL HEIGHT*

* MEASUREMENTS GIVEN ARE ACCURATE FOR MOST CONTROLS. SPECIFIC MODELS MAY VARY SLIGHTLY.


- A. 17"- 21"
- B. 18"
- C. 20"
- D. 20.5"
- E. 35.5"- 39"




- A. 17"- 21"
- B. 18"
- C. 24"
- D. 20.5"
- E. 39"- 42.5"



- A. 20.5"-28.5"
- B. 18"
- C. 18"
- D. 20.5"
- E. 46.5"



- A. 23.5"-33.5"
- B. 18"
- C. 18"
- D. 20.5"
- E. 51.5"



DESIGN
STYLEX


BACK CONSTRUCTION
BACKS CONSIST OF A MESH COVER ENCASING A 5/8" STEEL ROD FRAME THAT HAS BEEN SEALED IN A SOFT PROTECTIVE URETHANE. THE MESH ITSELF IS A KNIT COMBINATION OF POLYESTER AND ELASTOMERIC THREAD.

SEAT CONSTRUCTION
SEATS INCORPORATE COMPOUND CURVE PLYWOOD COVERED WITH CUSHIONS OF CFC-FREE POLYURETHANE.


T-SHAPE ADJUSTABLE ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 26"
- B. 19"
- C. 6.5"-9.5"




- A. 26"
- B. 19"
- C. 6.5"-9.5"



- A. 26"
- B. 19"
- C. 6.5"-9.5"



- A. 26"
- B. 19"
- C. 6.5"-9.5"



ARMS

HEIGHT-ADJUSTABLE ARMS HAVE PADS MADE FROM SELF-SKINNED URETHANE OVER A STEEL FRAME. FIXED HEIGHT CANTILEVER ARMS MAY BE BLACK POLYURETHANE, UPHOLSTERED, OR CAST ALUMINUM. ALUMINUM ARMS MAY BE POLISHED OR PAINTED WITH OR WITHOUT CAPS. CAPS MAY BE UPHOLSTERED OR BLACK PLASTIC.


BASES

THE STANDARD FIVE PRONG BASE IS BLACK, GLASS-FILLED NYLON. AN OPTIONAL CAST ALUMINUM BASE IS AVAILABLE EITHER WITH HIGHLY POLISHED FINISH OR A CHOICE OF POWDER COAT FINISHES.


CANTILEVERED FIXED ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 25"
- B. 21"
- C. 8.5"




- A. 25"
- B. 21"
- C. 8.5"



- A. 25"
- B. 21"
- C. 8.5"



- A. 25"
- B. 21"
- C. 8.5"



CASTERS

OPTIONAL RUBBER-TIRED CASTERS MUST BE USED ON HARD FLOORS SUCH AS WOOD, LINOLEUM OR CONCRETE. PLEASE BE SURE TO SPECIFY RUBBER-TIRED CASTERS FOR THESE APPLICATIONS.

TESTING

MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS.

ENVIRONMENT

GREENGUARD CERTIFIED.

SERIES	STYLE	SIZE	CONTROL	ARMS	DESCRIPTION	YDG. SQ.FT.		LEATHER UPHOLSTERY GRADES																
						C.O.M.	C.O.L.	A	B	C	D	E	F	G	H	I	J	W	X	Y	E1	E2		
MEDIUM BACK																								
	IN	1	6	10	00	ARMLESS	.75	10	667	696	724	754	781	811	844	879	914	955	832	871	1,058	1,098	1,267	
	IN	1	6	10	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	837	867	896	923	954	983	1,014	1,052	1,086	1,126	1,005	1,042	1,236	1,268	1,443	
	IN	1	6	10	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	850	879	908	937	967	996	1,026	1,063	1,098	1,139	1,016	1,055	1,248	1,279	1,457	
	IN	1	6	10	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	837	867	896	923	954	983	1,014	1,052	1,086	1,126	1,005	1,042	1,236	1,268	1,443	
	IN	1	6	10	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	973	1,002	1,029	1,059	1,088	1,119	1,149	1,185	1,220	1,262	1,139	1,177	1,378	1,404	1,586	
	IN	1	6	10	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,003	1,032	1,060	1,090	1,120	1,149	1,179	1,216	1,251	1,292	1,169	1,209	1,410	1,433	1,618	
	IN	1	6	10	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,033	1,063	1,091	1,121	1,150	1,179	1,211	1,246	1,281	1,323	1,201	1,238	1,441	1,464	1,649	
	IN	1	6	10	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21					1,190						1,426	1,497	1,975	2,092	2,438	
HIGH BACK																								
	IN	1	8	10	00	ARMLESS	.75	10	710	740	767	797	826	855	884	921	957	999	876	913	1,103	1,139	1,310	
	IN	1	8	10	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	880	910	938	969	998	1,026	1,057	1,093	1,129	1,169	1,047	1,085	1,281	1,311	1,489	
	IN	1	8	10	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	894	921	950	980	1,010	1,038	1,069	1,106	1,141	1,182	1,059	1,097	1,295	1,324	1,503	
	IN	1	8	10	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	880	910	938	969	998	1,026	1,057	1,093	1,129	1,169	1,047	1,085	1,281	1,311	1,489	
	IN	1	8	10	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,015	1,044	1,072	1,103	1,131	1,161	1,190	1,228	1,264	1,303	1,182	1,219	1,423	1,444	1,630	
	IN	1	8	10	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,046	1,075	1,104	1,132	1,162	1,190	1,221	1,259	1,294	1,333	1,213	1,250	1,455	1,477	1,663	
	IN	1	8	10	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,076	1,106	1,133	1,163	1,191	1,221	1,252	1,290	1,325	1,364	1,243	1,280	1,486	1,507	1,694	
	IN	1	8	10	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21					1,235						1,383	1,455	2,019	2,133	2,482	

TO ORDER FOLLOW STEPS 1-7

1 SERIES/STYLE/SIZE 2 CONTROLS/FUNCTION 3 ARM CHOICES 4 MESH 5 OPTIONS 6 FINISH CHOICES 7 COVER

IN 16 MESH MEDIUM BACK
SEAT: MEDIUM
20.5"W X 18.5"D
BACK: MEDIUM
20"H X 20.5"W

IN 18 MESH HIGH BACK
SEAT: MEDIUM
20.5"W X 18.5"D
BACK: HIGH
24"H X 20.5"W

10 CENTER PIVOT TILT
ADJUSTMENTS: PNEUMATIC SEAT HEIGHT, TILT TENSION, TILT LOCK OUT

00 ARMLESS

59 ADJUSTABLE HEIGHT ARM, BLACK, URETHANE CAP

69 ADJUSTABLE HEIGHT ARM, CHROME, URETHANE CAP

51 FIXED HEIGHT C-ARM, BLACK URETHANE

54 FIXED HEIGHT C-ARM, PAINTED ALUMINUM

64 FIXED HEIGHT C-ARM, POLISHED ALUMINUM

55 FIXED HEIGHT C-ARM, PAINTED ALUMINUM WITH PLASTIC CAP

65 FIXED HEIGHT C-ARM, POLISHED ALUMINUM WITH PLASTIC CAPS

56 FIXED HEIGHT C-ARM, PAINTED ALUMINUM WITH UPHOLSTERED CAP

66 FIXED HEIGHT C-ARM, POLISHED ALUMINUM WITH UPHOLSTERED CAP

57 FIXED HEIGHT C-ARM, UPHOLSTERED

NOTE: COMS, COLS AND IN-GRADED FABRICS MUST BE APPROVED SPECIFICALLY FOR UPHOLSTERED ARM CAPS.

MESH

30 ANTHRACITE
31 MUSHROOM
32 ZINC
33 JAVA
34 BLACK ICE
35 CAMEL
36 MARINE
38 SILVER ICE

R RUBBER TIRED CASTERS +31


GL GLIDE SUBSTITUTION +00

CT CONTRASTING THREAD +00

B22 PAINTED CAST ALUMINUM BASE CHOOSE FINISH +68

B23 POLISHED CAST ALUMINUM BASE +68

BG BUMPER GUARDS RECOMMENDED FOR WORKSTATION USE. +20



STANDARD POWDER PAINT +00

BM BLACK MATTE (STD) NY NAVY*
BT BLACK TWILIGHT* NK NICKEL*
BL BLUE* OR ORANGE*
BR BRASS* PY PALE YELLOW*
CP CHAMPAGNE* RD RED*
DB DARK BRONZE* RO RED ORANGE*
DG DARK GRAY* RR RUSTY RED*
DP DUSTY PINK* SD SAND*
FG FOREST GREEN* SB SOFT BLUE*
LG LIGHT GRAY* TC TERRACOTTA*
MG MEADOW GREEN* TP TAUPE*
MS METALLIC SILVER* TS TEXTURED SLATE*
MK MILK* YL YELLOW*

* THE FINISH SELECTION WILL BE APPLIED TO THE ALUMINUM BASE AND/OR ARMS PER THE MODEL CODES.

POLISHED ARMS CAN BE ORDERED WITH A PAINTED BASE OR VICE VERSA BY DESIGNATING ONE COMPONENT FOR PAINTED FINISH AND THE OTHER AS POLISHED.



SEE SWATCH CARDS FOR STANDARD UPHOLSTERY OPTIONS.

SEE GENERAL INFORMATION SECTION FOR DETAILS ON COM AND IN-GRADED FABRIC PROGRAM.

SEE GENERAL INFORMATION SECTION FOR CAL 133 INFORMATION.

insight mesh

CONFERENCE - LIGHT TASK
MESH BACK

SERIES	STYLE	SIZE	CONTROL	ARMS	DESCRIPTION	C.O.M.	C.O.L.	FABRIC UPHOLSTERY GRADES											LEATHER UPHOLSTERY GRADES										
								YDG.	SQ.FT.	A	B	C	D	E	F	G	H	I	J	W	X	Y	E1	E2					
	MEDIUM BACK																												
	IN	1	6	16	00	ARMLESS	.75	10	752	780	808	838	868	899	929	966	1,001	1,040	918	956	1,146	1,183	1,355						
	IN	1	6	16	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	922	953	981	1,011	1,039	1,069	1,099	1,136	1,173	1,213	1,090	1,128	1,325	1,353	1,533						
	IN	1	6	16	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	936	966	992	1,023	1,053	1,082	1,112	1,149	1,184	1,223	1,103	1,140	1,340	1,368	1,548						
	IN	1	6	16	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	922	953	981	1,011	1,039	1,069	1,099	1,136	1,173	1,213	1,090	1,128	1,325	1,353	1,533						
	IN	1	6	16	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,058	1,087	1,115	1,145	1,175	1,204	1,235	1,271	1,305	1,348	1,223	1,263	1,467	1,488	1,675						
	HIGH BACK																												
	IN	1	8	16	00	ARMLESS	.75	10	796	825	853	881	911	940	972	1,009	1,043	1,084	962	1,000	1,192	1,225	1,400						
	IN	1	8	16	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	967	996	1,024	1,054	1,083	1,112	1,142	1,179	1,215	1,254	1,132	1,170	1,373	1,398	1,581						
	IN	1	8	16	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	978	1,009	1,036	1,065	1,094	1,124	1,155	1,190	1,226	1,267	1,145	1,183	1,384	1,409	1,592						
	IN	1	8	16	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	967	996	1,024	1,054	1,083	1,112	1,142	1,179	1,215	1,254	1,132	1,170	1,373	1,398	1,581						
	IN	1	8	16	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,102	1,130	1,159	1,187	1,217	1,246	1,277	1,315	1,350	1,389	1,267	1,304	1,513	1,532	1,721						

TO ORDER FOLLOW STEPS 1-7

1 SERIES/STYLE/SIZE 2 CONTROLS/FUNCTION 3 ARM CHOICES 4 MESH 5 OPTIONS 6 FINISH CHOICES 7 COVER

IN 16 MESH MEDIUM BACK
SEAT: MEDIUM
20.5"W X 18.5"D
BACK: MEDIUM
20"H X 20.5"W

IN 18 MESH HIGH BACK
SEAT: MEDIUM
20.5"W X 18.5"D
BACK: HIGH
24"H X 20.5"W

16 MID PIVOT TILT
ADJUSTMENTS: PNEUMATIC SEAT HEIGHT, TILT TENSION, TILT LOCK

00 ARMLESS

59 ADJUSTABLE HEIGHT ARM, BLACK, URETHANE CAP

69 ADJUSTABLE HEIGHT ARM, CHROME, URETHANE CAP

51 FIXED HEIGHT C-ARM, BLACK URETHANE

54 FIXED HEIGHT C-ARM, PAINTED ALUMINUM

64 FIXED HEIGHT C-ARM, POLISHED ALUMINUM

55 FIXED HEIGHT C-ARM, PAINTED ALUMINUM WITH PLASTIC CAP

65 FIXED HEIGHT C-ARM, POLISHED ALUMINUM WITH PLASTIC CAPS

56 FIXED HEIGHT C-ARM, PAINTED ALUMINUM WITH UPHOLSTERED CAP

66 FIXED HEIGHT C-ARM, POLISHED ALUMINUM WITH UPHOLSTERED CAP

57 FIXED HEIGHT C-ARM, UPHOLSTERED

NOTE: COMS, COLS AND IN-GRADED FABRICS MUST BE APPROVED SPECIFICALLY FOR UPHOLSTERED ARM CAPS.

MESH

30 ANTHRACITE

31 MUSHROOM

32 ZINC

33 JAVA

34 BLACK ICE

35 CAMEL

36 MARINE

38 SILVER ICE

R RUBBER TIRED CASTERS +31


GL GLIDE SUBSTITUTION +00

CT CONTRASTING THREAD +00

B22 PAINTED CAST ALUMINUM BASE CHOOSE FINISH +68

B23 POLISHED CAST ALUMINUM BASE +68

BG BUMPER GUARDS RECOMMENDED FOR WORKSTATION USE. +20



STANDARD POWDER PAINT +00

BM BLACK MATTE (STD)	NY NAVY*
BT BLACK TWILIGHT*	NK NICKEL*
BL BLUE*	OR ORANGE*
BR BRASS*	PY PALE YELLOW*
CP CHAMPAGNE*	RD RED*
DB DARK BRONZE*	RO RED ORANGE*
DG DARK GRAY*	RR RUSTY RED*
DP DUSTY PINK*	SD SAND*
FG FOREST GREEN*	SB SOFT BLUE*
LG LIGHT GRAY*	TC TERRACOTTA*
MG MEADOW GREEN*	TP TAUPE*
MS METALLIC SILVER*	TS TEXTURED SLATE*
MK MILK*	YL YELLOW*

* THE FINISH SELECTION WILL BE APPLIED TO THE ALUMINUM BASE AND/OR ARMS PER THE MODEL CODES.

POLISHED ARMS CAN BE ORDERED WITH A PAINTED BASE OR VICE VERSA BY DESIGNATING ONE COMPONENT FOR PAINTED FINISH AND THE OTHER AS POLISHED.

SEE SWATCH CARDS FOR STANDARD UPHOLSTERY OPTIONS.

SEE GENERAL INFORMATION SECTION FOR DETAILS ON COM AND IN-GRADED FABRIC PROGRAM.

SEE GENERAL INFORMATION SECTION FOR CAL 133 INFORMATION.

DESCRIPTION

C.O.M.

C.O.L.

FABRIC
UPHOLSTERY
GRADES

C.O.M.

C.O.L.

LEATHER UPHOLSTERY
GRADES

SERIES	STYLE	SIZE	CONTROL	ARMS	YDG.	SQ.FT.	A	B	C	D	E	F	G	H	I	J	W	X	Y	E1	E2		
MEDIUM BACK																							
	IN	1	6	27	00	ARMLESS	.75	10	837	867	896	923	954	983	1,014	1,052	1,086	1,126	1,005	1,042	1,236	1,268	1,443
	IN	1	6	27	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,010	1,038	1,067	1,095	1,125	1,155	1,185	1,221	1,258	1,297	1,176	1,214	1,416	1,439	1,624
	IN	1	6	27	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,022	1,052	1,080	1,109	1,138	1,166	1,197	1,235	1,270	1,309	1,187	1,224	1,429	1,452	1,637
	IN	1	6	27	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,010	1,038	1,067	1,095	1,125	1,155	1,185	1,221	1,258	1,297	1,176	1,214	1,416	1,439	1,624
	IN	1	6	27	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,143	1,174	1,202	1,230	1,261	1,290	1,321	1,357	1,391	1,432	1,309	1,349	1,558	1,574	1,766
	IN	1	6	27	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,175	1,204	1,232	1,262	1,291	1,321	1,352	1,387	1,424	1,464	1,340	1,378	1,590	1,605	1,798
	IN	1	6	27	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,205	1,235	1,263	1,292	1,322	1,352	1,381	1,417	1,454	1,493	1,371	1,409	1,621	1,635	1,829
	IN	1	6	27	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21				1,362							1,596	1,668	2,149	2,258	2,611
HIGH BACK																							
	IN	1	8	27	00	ARMLESS	.75	10	880	910	938	969	998	1,026	1,057	1,093	1,129	1,169	1,047	1,085	1,281	1,311	1,489
	IN	1	8	27	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,053	1,082	1,110	1,139	1,168	1,197	1,228	1,265	1,299	1,340	1,218	1,257	1,462	1,483	1,670
	IN	1	8	27	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,064	1,093	1,122	1,151	1,181	1,211	1,240	1,277	1,314	1,354	1,230	1,268	1,474	1,493	1,681
	IN	1	8	27	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,053	1,082	1,110	1,139	1,168	1,197	1,228	1,265	1,299	1,340	1,218	1,257	1,462	1,483	1,670
	IN	1	8	27	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,186	1,216	1,244	1,273	1,302	1,331	1,362	1,399	1,435	1,475	1,354	1,390	1,601	1,617	1,809
	IN	1	8	27	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,217	1,246	1,274	1,303	1,332	1,362	1,394	1,430	1,466	1,507	1,384	1,423	1,634	1,647	1,841
	IN	1	8	27	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,247	1,277	1,304	1,333	1,363	1,394	1,425	1,461	1,496	1,537	1,413	1,452	1,667	1,678	1,875
	IN	1	8	27	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21				1,406							1,638	1,712	2,194	2,300	2,656

TO ORDER FOLLOW STEPS 1-7

1 SERIES/STYLE/SIZE 2 CONTROLS/FUNCTION 3 ARM CHOICES 4 MESH 5 OPTIONS 6 FINISH CHOICES 7 COVER

IN 16 MESH MEDIUM BACK
SEAT: MEDIUM
20.5"W X 18.5"D
BACK: MEDIUM
20"H X 20.5"W

IN 18 MESH HIGH BACK
SEAT: MEDIUM
20.5"W X 18.5"D
BACK: HIGH
24"H X 20.5"W

27 MID PIVOT SYNCHRO TILT
ADJUSTMENTS: PNEUMATIC
SEAT HEIGHT, BACK ANGLE,
TILT TENSION
• OPTIONAL SEAT SLIDE

00 ARMLESS

59 ADJUSTABLE HEIGHT ARM,
BLACK, URETHANE CAP

69 ADJUSTABLE HEIGHT ARM,
CHROME, URETHANE CAP

51 FIXED HEIGHT C-ARM,
BLACK URETHANE

54 FIXED HEIGHT C-ARM,
PAINTED ALUMINUM

64 FIXED HEIGHT C-ARM
POLISHED ALUMINUM

55 FIXED HEIGHT C-ARM,
PAINTED ALUMINUM
WITH PLASTIC CAP

65 FIXED HEIGHT C-ARM,
POLISHED ALUMINUM
WITH PLASTIC CAPS

56 FIXED HEIGHT C-ARM,
PAINTED ALUMINUM
WITH UPHOLSTERED CAP

66 FIXED HEIGHT C-ARM,
POLISHED ALUMINUM
WITH UPHOLSTERED CAP

57 FIXED HEIGHT C-ARM,
UPHOLSTERED

NOTE: COMS, COLS AND
IN-GRADED FABRICS MUST BE
APPROVED SPECIFICALLY FOR
UPHOLSTERED ARM CAPS.

MESH

30 ANTHRACITE
31 MUSHROOM
32 ZINC
33 JAVA
34 BLACK ICE
35 CAMEL
36 MARINE
38 SILVER ICE

55 SEAT SLIDE +89

R RUBBER TIRED CASTERS +31


GL GLIDE SUBSTITUTION +00

CT CONTRASTING THREAD +00

B22 PAINTED CAST
ALUMINUM BASE
CHOOSE FINISH +68

B23 POLISHED CAST
ALUMINUM BASE +68

BG BUMPER GUARDS
RECOMMENDED FOR
WORKSTATION USE +20



STANDARD POWDER PAINT +00

BM BLACK MATTE (STD)	NY NAVY*
BT BLACK TWILIGHT*	NK NICKEL*
BL BLUE*	OR ORANGE*
BR BRASS*	PY PALE YELLOW*
CP CHAMPAGNE*	RD RED*
DB DARK BRONZE*	RO RED ORANGE*
DG DARK GRAY*	RR RUSTY RED*
DP DUSTY PINK*	SD SAND*
FG FOREST GREEN*	SB SOFT BLUE*
LG LIGHT GRAY*	TC TERRACOTTA*
MG MEADOW GREEN*	TP TAUPE*
MS METALLIC SILVER*	TS TEXTURED SLATE*
MK MILK*	YL YELLOW*

* THE FINISH SELECTION WILL BE APPLIED
TO THE ALUMINUM BASE AND/OR ARMS
PER THE MODEL CODES.

POLISHED ARMS CAN BE ORDERED WITH A
PAINTED BASE OR VICE VERSA BY DESIG-
NATING ONE COMPONENT FOR PAINTED
FINISH AND THE OTHER AS POLISHED.

SEE SWATCH CARDS FOR
STANDARD UPHOLSTERY
OPTIONS.

SEE GENERAL INFORMA-
TION SECTION FOR
DETAILS ON COM AND
IN-GRADED FABRIC
PROGRAM.

SEE GENERAL INFORMA-
TION SECTION FOR CAL
133 INFORMATION.

insight mesh

GENERAL ENVIRONMENT
DRAFTING
MESH BACK

DESCRIPTION

C.O.M.
C.O.L.





C.O.M.
C.O.L.

FABRIC
UPHOLSTERY
GRADES

C.O.M.
C.O.L.

C.O.L.

LEATHER UPHOLSTERY
GRADES

SERIES STYLE SIZE CONTROL CYLINDER ARMS								YDG.SQ.FT.		A B C D E F G H I J										W X Y E1 E2				
	INTERMEDIATE DRAFTING HEIGHT							.75	10	772	802	830	860	887	918	949	985	1,022	1,061	955	1,001	1,168	1,203	1,376
	IN	1	5	61	M	00	ARMLESS																	
	IN	1	5	61	M	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP																	
	IN	1	5	61	M	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP																	
	IN	1	5	61	M	51	FIXED HEIGHT C-ARM, BLACK URETHANE																	
	IN	1	5	61	M	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM																	
	FULL DRAFTING HEIGHT							.75	10	1,080	1,109	1,136	1,165	1,194	1,223	1,254	1,292	1,327	1,368	1,263	1,308	1,490	1,511	1,698
	IN	1	5	61	M	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP																	
	IN	1	5	61	M	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP																	
	IN	1	5	61	M	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED																	
	IN	1	5	61	H	51	FIXED HEIGHT C-ARM, BLACK URETHANE																	
	IN	1	5	61	H	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM																	
	FULL DRAFTING HEIGHT							.75	10	1,110	1,139	1,166	1,195	1,224	1,254	1,287	1,323	1,358	1,398	1,292	1,338	1,521	1,540	1,730
	IN	1	5	61	H	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP																	
	IN	1	5	61	H	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP																	
	IN	1	5	61	H	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED																	
	IN	1	5	61	H	51	FIXED HEIGHT C-ARM, BLACK URETHANE																	
	IN	1	5	61	H	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM																	
	FULL DRAFTING HEIGHT							.75	10	1,140	1,169	1,197	1,226	1,257	1,287	1,318	1,354	1,388	1,429	1,369	1,414	1,601	1,617	1,809
	IN	1	5	61	H	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP																	
	IN	1	5	61	H	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP																	
	IN	1	5	61	H	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED																	
	IN	1	5	61	H	51	FIXED HEIGHT C-ARM, BLACK URETHANE																	
	IN	1	5	61	H	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM																	

TO ORDER FOLLOW STEPS 1-8

1 SERIES/STYLE/SIZE 2 CONTROLS/FUNCTION CYLINDER 4 ARM CHOICES 4 MESH 5 OPTIONS 6 FINISH CHOICES 7 COVER

