






# Click



Price list effective  
January 1, 2022

| Dimensions / Overview  | General Information  |  |  |
|--|--|--|--|
| <p><b>Armless</b></p> <p>A. Sit Height<br/>B. Seat Depth<br/>C. Back Height<br/>D. Seat Width<br/>E. Back Width<br/>F. Maximum Overall Height</p>  | <p>A. 15.25" - 20.25"<br/>B. 18.5"<br/>C. 18"<br/>D. 18.5"<br/>E. 17.25"<br/>F. 31.5" - 36.5"</p>                             |  | <p><b>Design</b><br/>Mark Kapka/Todd Yetman</p> <p><b>Seat/Back Construction</b><br/>Frames are injection-molded with mesh backs to which the mesh is applied. Both upholstered and knit seats incorporate a flexible polypropylene seat pan on which is placed a dual-density cushion of molded, CFC-free foam. A height adjustment button is located on the right side of the injection-molded yoke supporting the seat pan. Plastic colors come in black, dark gray, light gray and white. Arm cap colors come in black or light gray.</p> <p><b>Bases</b><br/>Bases are injection-molded and have five blades. Casters are available in black and gray, both in carpet or soft wheel versions.</p> |
| <p><b>Arm</b></p> <p>A. Sit Height<br/>B. Seat Depth<br/>C. Back Height<br/>D. Seat Width<br/>E. Back Width<br/>F. Maximum Overall Height<br/>G. Arm Height<br/>H. Overall Arm Width</p> | <p>A. 15.25" - 20.25"<br/>B. 18.5"<br/>C. 18"<br/>D. 18.5"<br/>E. 17.25"<br/>F. 31.5" - 36.5"<br/>G. 8.25"<br/>H. 24.5"</p>  |  | <p><b>Testing</b><br/>Manufactured to comply with ANSI/BIFMA X5.1 General Purpose Office Chairs Tests.</p> <p><b>Environment</b><br/>Greenguard Certified</p> <p>All measurements provided are taken using a BIFMA ISO Chair Measuring Device.</p>   |

|  |     |       |                      |                   |        | C.O.M. |     |     |     |     |       |       |       |       |       |       |       |       |       |
|--|-----|-------|----------------------|-------------------|--------|--------|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Series   | Arm | Style | Description / Finish | Ydg.              | C.O.M. | A      | B   | C   | D   | E   | F     | G     | H     | I     | J     | K     | L     | M     |       |
| <b>Mesh Back/Knit Seat</b>   |     |       |                      |                   |        |        |     |     |     |     |       |       |       |       |       |       |       |       |       |
|  | CL  | 1     | 1                    | Five-Blade Swivel | -      | 880    |     |     |     |     |       |       |       |       |       |       |       |       |       |
| <b>Mesh Back/Upholstered Seat</b>  |     |       |                      |                   |        |        |     |     |     |     |       |       |       |       |       |       |       |       |       |
|  | CL  | 1     | 2                    | Five-Blade Swivel | 1.1    | 806    | 868 | 902 | 935 | 969 | 1,003 | 1,040 | 1,077 | 1,121 | 1,177 | 1,245 | 1,312 | 1,380 | 1,447 |

To Order Follow Steps 1-9



|  |     |       |                      |                   |        | C.O.M. |     |     |       |       |       |       |       |       |       |       |       |       |       |
|--|-----|-------|----------------------|-------------------|--------|--------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Series   | Arm | Style | Description / Finish | Ydg.              | C.O.M. | A      | B   | C   | D     | E     | F     | G     | H     | I     | J     | K     | L     | M     |       |
| <b>Mesh Back/Knit Seat</b>   |     |       |                      |                   |        |        |     |     |       |       |       |       |       |       |       |       |       |       |       |
|  | CL  | 2     | 1                    | Five-Blade Swivel | -      | 949    |     |     |       |       |       |       |       |       |       |       |       |       |       |
| <b>Mesh Back/Upholstered Seat</b>  |     |       |                      |                   |        |        |     |     |       |       |       |       |       |       |       |       |       |       |       |
|  | CL  | 2     | 2                    | Five-Blade Swivel | 1.1    | 875    | 937 | 971 | 1,004 | 1,038 | 1,072 | 1,109 | 1,146 | 1,190 | 1,246 | 1,314 | 1,381 | 1,449 | 1,516 |

To Order Follow Steps 1-10

